



**Sunscreen Body Milk**  
**Formulation FS402**

This product is characterized by an emollient, but non-oily, feel. It is suitable for all skin types. Formulated with mineral and organic based UVA and UVB sunscreens it provides an average SPF 20. The moisturizing complex of xylitol, inositol and maltitol provides osmo-protection, while the aloe vera extracts provides protection from chapping. In this formula the Silube J208-412 emulsifier helps to optimally disperse the micronized titanium dioxide.

<b><u>Phase</u></b>	<b><u>Ingredient</u></b>	<b><u>INCI Name</u></b>	<b><u>%w/w</u></b>
<b>Part A</b>	Deionized Water (+2% evaporation)	Aqua	57.05
	Glycerin	Glycerin	2.00
	Dissolve GL 38 (Akzo)	Tetrasodium Glutamate Diacetate	0.30
	Maltitol 70	Maltitol	0.25
	Xylisorb 300 (Roquette)	Xylitol	0.50
	Inositol (Danisco)	Inositol	0.50
<b>Part A1</b>	Comixan ST/HV (Comiel)	Xanthan Gum	0.80
<b>Part B</b>	Parsol MCX (Res Pharma/DSM)	Ethylhexyl Methoxycinnamate	4.00
	Parsol 1789 (Res Pharma/DSM)	Butyl Methoxydibenzoylmethane	1.00
	Nexbase 2006 (Fortum)	Hydrogenated Polydecane	2.00
	Dermofeel BGC (Dr. Staetmans)	Butylene Glycol Dicaprylated/Dicaprate	4.00
	Nomcort T.I.O. (Ikeda)	Triethylhexanoin	5.00
	<b>Silube J208-412 (Siltech)</b>	<b>Lauryl PEG-8 Dimethicone</b>	5.00
	Tocopheryl Acetate	Tocopheryl Acetate	0.10
	Nipagin M (Clariant)	Methylparaben	0.25
	Nipagin A (Clariant)	Ethylparaben	0.20
	Phenoxyethanol	Phenoxyethanol	0.80
<b>Part C</b>	Cyclopentasiloxane	Titanium Dioxide Aluminium Hydroxide Stearic Acid	10.00
		Cyclopentasiloxane	3.00
<b>Part D</b>	Deionized Water	Aqua	2.00
	Lactic Acid (sol. 80%)	Lactic Acid Aqua	0.35
	NaOH (sol. 10%)	Sodium Hydroxide Aqua	0.60
<b>Part E</b>	Aloe Vera Gel	Aloe Barbadensis Gel	1.00
<b>Part F</b>	Drago Beta Glucan (Symrise)	Aqua Butylene Glycol Glycerin	1.00
		Avena Sativa Kernel Extract	
<b>Part G</b>	Maddalena 781 0601781 (M&M)	Parfum	<u>0.30</u>
			<b><u>102.00</u></b>

Appearance: Fluid, white emulsion  
Viscosity: pH 5.1 – 5.5

25°C – Brookfield RVT- 24,000 2.5rpm  
Helipath C 14,000 5.0rpm

**Procedure:**

1. Prepare Part A in a side mixer under vacuum. Then add A1 and heat to 80-85°C while mixing and homogenizing until complete swelling.
2. In the main mixer, melt Part B at 80-85°C. Then add Part A+A1 to Part B.
3. Homogenize.
4. Cool to 40°C. While mixing add Parts C, D, E, F and G.
5. Cool to room temperature under vacuum.

*Technical information contained herein is believed to accurate. However, it is furnished without charge or obligation and is given and accepted at the recipient's sole risk. No guarantee of the accuracy of the information is made and the products discussed are sold without conditions or warranties expressed or implied. Purchasers should make their own tests and determine suitability of the product for their particular purposes. Nothing contained herein shall be considered a recommendation for any use that may infringe upon patent rights.*

© Siltech LLC 2008      All Rights Reserved



Siltech Personal Care  
678 442 0210  
[www.siltechpersonalcare.com](http://www.siltechpersonalcare.com)