



SILTECH CORP.
Material Safety Data Sheet

Fluorosil L118
MSDS NR: 5515

Revised: April 15, 2005

SECTION 1. CHEMICAL PRODUCT/COMPANY IDENTIFICATION	
Material Identification: Fluorosil L118	Company Identification: Siltech Corp.
Chemical Name: Fluorinated Alkyl Polydimethylsiloxane Copolymer	225 Wicksteed Avenue
CTFA Name: Perfluorononyl ethyl Stearyl Dimethicone	Toronto, Ont.
	M4H 1G5
	(416) 424-4567

SECTION 2. Composition/Information On Hazardous Ingredients			
<u>CAS NR</u>	<u>Wt %</u>	<u>Components</u>	<u>Exposure Limits</u>
None			
THIS MATERIAL IS FOR INDUSTRIAL USE ONLY, NOT FOR FOOD, MEDICAL OR DRUG USE.			

SECTION 3. HAZARDS IDENTIFICATION
<p>There are no potential health effects expected from handling this material. Good manufacturing practices are always recommended when handling any chemical.</p> <p>There are no significant laboratory data to suggest any hazard to humans.</p> <p>Eyes: Direct eye contact may cause temporary discomfort with mild redness and dryness similar to windburn.</p> <p>Skin: A single prolonged exposure (24 to 48 hours) causes no know adverse effect.</p> <p>Inhalation: No irritation to respiratory passages is expected from relatively short exposures of less than 8 hours.</p> <p>Oral: Small amounts transferred to the mouth by fingers during use should not injure. Swallowing large amounts may cause digestive discomfort.</p> <p>Repeated exposure effects:</p> <p>Skin: None known.</p> <p>Inhalation: None known.</p> <p>Oral: None known.</p> <p>Comments: None.</p>

SECTION 4. FIRST AID MEASURES

Eyes: Immediately flush with water for 15 minutes. Obtain medical attention if irritation occurs.

Skin: Remove contaminated clothing and wash with soap and water. No first aid should be needed.

Inhalation: Short term harmful health effects are not expected from vapour generated at ambient temperatures. If first aid is required move victim to fresh air.

Oral: No first aid should be needed. If discomfort occurs, obtain medical attention.

Comments: Treat symptomatically.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point: > 200 C by Pensky Martens closed cup.

Autoignition Temperature: Not determined.

Flammability Limits in Air: Not determined.

Extinguishing Media: Carbon dioxide (CO₂) water spray. Dry chemical foam water can be used to cool fire exposed containers.

Fire Fighting Procedures: Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.

Hazardous Decomposition Products: Silicon dioxide. Carbon oxides and traces of incompletely burned carbon compounds.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Containment/Clean up: Sections 13 and 15 of this MSDS provide information regarding certain Federal and local requirements. Collect for disposal. Clean area as appropriate since some silicone material, even in small quantities, may present a slip hazard. Final cleaning may require steam, solvents or detergents. Observe all personal protection equipment recommendations described in Sections 5 and 8 of this MSDS. Observe all Federal, Provincial and local regulations that may apply to the clean up of this material.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel): Safety Glasses and PVC Gloves.

Storage: Keep container tightly closed. Product is "non-hazardous".

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls: Local Exhaust: None should be needed.

General Ventilation: None should be needed.

Personal Protective Equipment for Routine Handling

Eyes: Use proper protection - safety glasses as a minimum.

Skin: Washing at mealtime and end of shift is adequate.

Suitable Gloves: No special protection is needed.

Inhalation: No respiratory protection should be needed.

Suitable Respirator: None should be needed.

Personal Protective Equipment for Spills

Eyes: Use proper protection - safety glasses as a minimum.

Skin: Washing at mealtime and end of shift is adequate.

Inhalation/Suitable Respirator: No respiratory protection should be needed.

Precautionary Measures: Avoid eye contact.

Note: These precautions are for room temperature handling. Use at elevated temperatures or aerosol spray applications may require added precautions.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Physical form:</u>	Solid	<u>Viscosity:</u>	Not applicable
<u>Colour:</u>	Off-White	<u>Melting Point:</u>	27°C
<u>Odour:</u>	Mild	<u>Boiling point:</u>	>100 C @ 760 mmHg
<u>Specific Gravity @ 25°C:</u>	Not determined	<u>Vapour Pressure @ 25°C:</u>	Not determined
<u>Solubility in Water:</u>	Insoluble	<u>pH:</u>	Not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability: Stable

Hazardous Polymerization: Will not occur.

Conditions to Avoid: None known.

Materials to Avoid: None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Optional Section - Complete information not yet available.

SECTION 12. ECOLOGICAL INFORMATION

Optional Section - Complete information not yet available.

SECTION 13. DISPOSAL CONSIDERATIONS

Landfill and/or incineration where permitted under Federal, Provincial or local laws. Observe all local, Provincial, and Federal waste management regulations.

SECTION 14. TRANSPORTATION INFORMATION

Shipping Name: Not applicable

Technical Name: Not applicable

Primary Class: Not applicable

Subsidiary Risk: Not assessed

Product Identification Number: Not applicable

Packing Group: Not applicable

SECTION 15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the CPR, and this MSDS contains all the information required by the CPR.

WHMIS Classification: This product is not subject to WHMIS regulations

SECTION 16. OTHER INFORMATION

The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. This data is offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

Responsibility for MSDS: Dave Coelho
Address: Siltech Corp.
225 Wicksteed Avenue
Toronto, Ontario, M4H 1G5
Telephone: (416) 424-4567

This is the last page.

